

Index

- A**
acridine orange, 114
agarose gel
 electrophoresis, 29–32, 44–45
 flask clean-up, 9
apoptosis
 induction by Shiga toxin, 56–61
 process, 52
assignments schedule, 7
- B**
bacterial cultures
 discarding, 9
 inoculating, 40–41
 streaking, 33
 washing cells, 37–38
biofilms, 110–111
- C**
Chinese hamster ovary (CHO) cells, 82
cholera toxin (Ctx)
 activity assay, 87–92
 enzyme structure, 80–82
 receptor assay, 83–86
clean-up and discard, 9–10
confocal microscopes, 75
Ctx. *See* cholera toxin
- D**
discard and clean-up, 9–10
DNA
 amplification, 20
 extraction, 35–36
 gel electrophoresis, 29–32
 observed in apoptosis, 52
 quantitation, 36, 52–55
dredd gene, 118
Drosophila melanogaster, 118
- E**
Ecc 15 (*Erwinia carotovora carotovora*),
 118–119
EHEC (enterohemorrhagic *Escherichia coli*), 51
electrophoresis procedure, 29–32, 44–45
electroporation, 39–40
Erwinia carotovora carotovora (Ecc 15),
 118–119
Escherichia coli
 C600 (933W), 57
 DY330R, 20–21, 33
 enterohemorrhagic (EHEC), 51
 in killing assay, 97–100
ethidium bromide
 cautions in using, 32
 handling at clean-up, 9
- F**
flow cytometry
 campus facility, 61
 principles, 52–55
- G**
glycolipids, 81–82
G_{M1}. *See* monosialoganglioside
- H**
HeLa cells, 67, 82
herpes simplex virus type 1 (HSV-1), 103–104,
 105–107
- I**
Imd signaling pathway, 118–119
innate immunity demonstration, 118–119,
 120–122
inoculation procedures, 33, 40–41
interferon- α , 103–104, 105–107
- L**
lab expectations, 11
lab reports
 late work, 11
 schedule and marks, 7
 writing guidelines, 12–13
lab schedule, 4–5, 7
laboratory regulations, 8
late work, 11
Listeria innocua, 67
Listeria monocytogenes
 invasion assay, 68–71
 virulence mechanism, 65–67
Listeriosis, 65
- M**
marking scheme, 6, 7
 late work, 11
Master Mix, 43

micropipettes, 15–16
monosialoganglioside (G_{M1}), 81–82
mutagenesis methods, 19–20

O

osteosarcoma (U2OS) cells, 103–104

P

PCR. See polymerase chain reaction

pipet-aid, 14

pipettes

clean-up, 9

micropipettes, 15–16

pipet-aid, 14

polymerase chain reaction (PCR)

laboratory procedure, 26–29

Master Mix, 43

methodology, 20, 46–48

Pseudomonas aeruginosa, 110–111, 112

R

recombinant creation, 37–41

recombinant gene amplification, 42–44

recombination mutagenesis, 19–21

S

safety regulations, 8

serial dilution techniques, 98–99, 105, 112–113

Shiga toxin (Stx)

induction of apoptosis, 56–61

as negative control, 90

structure, 51–52

streaking for bacteria procedure, 33

Stx. See Shiga toxin

T

t-test, 72–74

T6SS, 96

Toll signaling pathway, 118

transposons, 19

type VI secretion system (T6SS), 96

U

U2OS (osteosarcoma cells), 103–104

V

Vero cells, 103–104

Vibrio cholerae

and cholera toxin, 80, 81

killing assay, 97–100

and type VI secretion system, 96

virus plate infection techniques, 107

W

washing bacterial cells procedure, 37–38